



Effective Date:

Monday, September 09, 2019

Test Updates

In our continuing effort to provide you with the highest quality toxicology laboratory services available, we have compiled important changes regarding a number of tests we perform. Listed below are the types of changes that may be included in this notification, effective Monday, September 09, 2019

Test Changes - Tests that have had changes to the method/ CPT code, units of measurement, scope of analysis, reference comments, or specimen requirements.

Discontinued Tests - Tests being discontinued with alternate testing suggestions.

Please use this information to update your computer systems/records. These changes are important to ensure standardization of our mutual laboratory databases.

If you have any questions about the information contained in this notification, please call our Client Support Department at (866) 522-2206. Thank you for your continued support of NMS Labs and your assistance in implementing these changes.

The CPT Codes provided in this document are based on AMA guidelines and are for informational purposes only. NMS Labs does not assume responsibility for billing errors due to reliance on the CPT Codes listed in this document.



Effective Date:
Monday, September 09, 2019

Test Updates

Test	Test Name	Test Name	TAT	Method / CPT Code	Specimen Req.	Stability	Analytes	Units	Reference Comments	Discontinue
52235FL	Bath Salts Confirmation, Fluid				•					
2532SP	Leflunomide as Metabolite (Pre-Pregnancy Monitoring), Serum/Plasma					•				
2531SP	Leflunomide as Metabolite (Therapeutic Drug Monitoring), Serum/Plasma					•				
52422FL	Metaxalone Confirmation, Fluid				•					
4367SP	Teriflunomide (Pre-Pregnancy Monitoring), Serum/Plasma					•				
4366SP	Teriflunomide (Therapeutic Drug Monitoring), Serum/Plasma					•				
4640B	Trichloroethanol - Free, Blood								•	
4650B	Trichloroethylene, Blood								•	



Test Updates

Test Changes

52235FL Bath Salts Confirmation, Fluid

Summary of Changes: Specimen Requirements (Requested Volume) were changed.

Requested Volume: 3 mL Fluid
Transport Temperature: Refrigerated
Sample Container: Plastic container (preservative-free)
Light Protection: Not Required
Special Handling: None
Rejection Criteria: None

2532SP Leflunomide as Metabolite (Pre-Pregnancy Monitoring), Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 30 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 24 month(s)

2531SP Leflunomide as Metabolite (Therapeutic Drug Monitoring), Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 30 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 24 month(s)

52422FL Metaxalone Confirmation, Fluid

Summary of Changes: Specimen Requirements (Requested Volume) were changed.

Requested Volume: 2 mL Fluid
Transport Temperature: Refrigerated
Sample Container: Plastic container (preservative-free)
Light Protection: Not Required
Special Handling: None
Rejection Criteria: None

4367SP Teriflunomide (Pre-Pregnancy Monitoring), Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 30 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 24 month(s)



Test Updates

Test Changes

4366SP Teriflunomide (Therapeutic Drug Monitoring), Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 30 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 24 month(s)

4640B Trichloroethanol - Free, Blood

Summary of Changes: Reference Comment was changed for Trichloroethanol.

Scope of Analysis: GC (82441): Trichloroethanol
Method (CPT Code)

Analyte Name	Interface Map	Units	Reference Comment
Trichloroethanol	TRICHLOROE	mcg/mL	

4650B Trichloroethylene, Blood

Summary of Changes: Reference Comment was changed for Trichloroethanol.

Scope of Analysis: GC (82441): Trichloroethanol
Method (CPT Code)

Analyte Name	Interface Map	Units	Reference Comment
Trichloroethanol	TRICHLOROE	mcg/mL	