



Effective Date:

Monday, October 05, 2020

Test Updates

In our continuing effort to provide you with the highest quality toxicology laboratory services available, we have compiled important changes regarding a number of tests we perform. Listed below are the types of changes that may be included in this notification, effective Monday, October 05, 2020

Test Changes - Tests that have had changes to the method/ CPT code, units of measurement, scope of analysis, reference comments, or specimen requirements.

Discontinued Tests - Tests being discontinued with alternate testing suggestions.

Please use this information to update your computer systems/records. These changes are important to ensure standardization of our mutual laboratory databases.

If you have any questions about the information contained in this notification, please call our Client Support Department at (866) 522-2206. Thank you for your continued support of NMS Labs and your assistance in implementing these changes.

The CPT Codes provided in this document are based on AMA guidelines and are for informational purposes only. NMS Labs does not assume responsibility for billing errors due to reliance on the CPT Codes listed in this document.



Effective Date:

Monday, October 05, 2020

Test Updates

Test	Test Name	Test Name	TAT	Method / CPT Code	Specimen Req.	Stability	Analytes	Units	Reference Comments	Discontinue
1261LI	Chromium, Liquid									•
2134B	Formic Acid, Blood					•				
10195S	Formic Acid, Serum (CSA)					•				
2134SP	Formic Acid, Serum/Plasma					•				



Test Updates

Test Changes

2134B Formic Acid, Blood

Summary of Changes: Stability was changed.

Stability: Room Temperature: 2 day(s)
Refrigerated: 14 day(s)
Frozen (-20 °C): 15 month(s)

10195S Formic Acid, Serum (CSA)

Summary of Changes: Stability was changed.

Stability: Room Temperature: 7 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 15 month(s)

2134SP Formic Acid, Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 7 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 15 month(s)



Effective Date:

Monday, October 05, 2020

Test Updates

Discontinued Tests

Test	Test Name	Alternative Test
1261LI	Chromium, Liquid	No Alternate Tests Available